APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in Stat	e Engineer's Office	AUG 23 1996
Returned to applicant	for correction	
Corrected application	filed	· · · · · · · · · · · · · · · · · · ·
Map filed SEP 03	1993 under 58882	

The applicant Sierra Pacific Power Company, and the City of Reno by and through Sierra Pacific Power Company, hereby make application for permission to change the Point of Diversion, Place of Use and Manner of Use. of water heretofore appropriated under A portion of permit #42713, originally being a portion of Claim #52

- 1. The source of water is The Truckee River
- 2. The amount of water to be changed .487 c.f.s. (19.48 miner inches) not to exceed 131.48 acre feet per year.
- 3. The water to be used for Municipal and Domestic.
- 4. The water heretofore permitted for Quasi-municipal-Subdivision
- 5. The water is to be diverted at the following point The points of diversion of Sierra's existing water treatment plants as described in attached Exhibit "A" and shown on the map supporting Application No. 58882 on file with the Division of Water Resources State of Nevada.
- 6. The existing permitted point of diversion is located within See permit #42713 NW1 SE1 Section 13, T.19N., R.18E., M.D.B.&M. at a point which bears N 44°10' W 3125 feet from the SE corner of said Section 13.
- 7. Proposed place of use See attached Exhibit "B" and as shown on the map that accompanied application number 62141.
- 8. Existing place of use Portions of SE‡ of NW‡, E½ of SW‡, NW‡ of SE‡, S½ of SE½, Section 13, T19N, R18E, MDB&M and portions of NE‡ of NW‡ and N½ of NE‡ Section 24, T19N, R18E, MDB&M.
- 9. Use will be from January 1 to December 31 of each year.
- 10. Use was permitted from January 1 to December 31 of each year.
- 11. Description of proposed works Water will be diverted by existing company facilities, treated and placed into the existing distribution system.
- 12. Estimated cost of works Sierra has invested in excess of \$233 million in its water treatment and distribution system.
- 13. Estimated time required to construct works Completed.
- 14. Estimated time required to complete the application of water to beneficial use One year.

15. Remarks: During 1995, Sierra served an average 60,574 non-duplicate customers and delivered approximately 59,985 acre feet of water. Maximum day delivery was 105.74 million gallons (324.50 acre feet). This This application is transferring 131.48 feet for the City of Reno pursuant to the chains of title.

By William K. Jewett, Agent s/ William K. Jewett P.O. Box 10100 Reno, NV 89520-0400

Reno, NV 89520-0400 Compared cl/jk cl/cms
Protested

APPROVAL
OF STATE ENGINEER
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:
This permit to change the point of diversion, place of use and manner of use of a portion of the waters of the Truckee River as heretofore granted under Permit 42713 which changed the point of diversion of Permit 31939 which changed the manner of use of Claim No. 52, Truckee River Decree is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept. This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed October 131.48 acre-feet as decreed.
Work must be prosecuted with reasonable diligence and be completed on or before: N/A
Proof of completion of work shall be filed before: N/A
Application of water to beneficial use shall be filed on or before: May 23, 1998
Proof of the application of water to beneficial use shall be filed on or before: <u>June 23, 1998</u>
Map in support of proof of beneficial use shall be filed on or before: N/A
IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this <u>23rd</u> day of <u>May</u> , A.D. <u>1997</u>
Mild 1/7 in Open
State Engineer
Completion of work filed
Proof of beneficial use filed
Cultural map filed

Certificate No. 15489 Issued JUL 20 2003

EXHIBIT "A"

The following describes the multiple points of divesion for Sierra Pacific Power Company.

Water Treatment Plants, which are shown on the map accompanying Application No. 58882 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE1/4 SW1/4) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW1/4 SE1/4) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE1/4 SE1/4) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW1/4 NE1/4) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE/4SE/4) of Section 17, T.19N., R. 19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT)

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE'4SW'/4) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada from said point of diversion the Southwest corner of said Section 17 bears South 44°40. West; a distance of 3,211.00 feet.

. ·

. ماهانسان

EXHIBIT "B"
PROPOSED PLACE OF USE

DIVICION				E OF USE	1 1 1 2 3	
<u>DIVISION</u>	SECTION		<u>T-N</u>		<u>R-E</u>	
ALL	1-5		18		10	34 T3 T3 634
E½	6 & 7	. "	18		18 18	M.D.B.&M. M.D.B.&M.
ALL	8-17		18		18	M.D.B.&M.
E1/2	18&19:	"	18	•	18	M.D.B.&M.
ALL	20-29		18		18	M.D.B.&M.
E½	30&31	1.	18:		18	M.D.B.&M.
ALL	32-36	•	18		18	M.D.B.&M.
		:		~.		
ALL	1-5	7	19		18	M.D.B.&M.
E1/2	6&7		19		18	M.D.B.&M.
ALL	8-17		19		18	M.D.B.&M.
E1/2	18&19		19		18	M.D.B.&M.
ALL	20-29		19		18	M.D.B.&M.
E1⁄2	30&31	• •	19		. 18	M.D.B.&M.
ALL	32-36		19		18	M.D.B.&M.
		~* ·.				
ALL	1-5		20		18	M.D.B.&M.
E1/2	6&7	. •	20		18	M.D.B.&M.
ALL	8-17	$p_{ij} = p_{ij} = \overline{k}_{ij}$	20		18	M.D.B.&M.
E% 10 1	18&19		20		18	M.D.B.&M.
ALL E½	20-29		20		18	M.D.B.&M
ALL	30&31	<i>,</i> }	20		18	M.D.B.&M.
ALL	32-36		20	<i>;</i> ·	. 18	M.D.B.&M.
ALL	1-5		21	. .	1.0	3/073/19 6/3/0
E½	6&7	•	21		18 18	M.D.B.&M. M.D.B.&M.
ALL	8-17		21	1 (in the 2)	18	M.D.B.&M.
E1/2	18&19		21		18	M.D.B.&M.
ALL	20-29	•	21		18	M.D.B.&M.
E1/2	30&31		21		18	M.D.B.&M.
ALL	32-36		21		18	M.D.B.&M.
			77.	٠.	100	
ALL	1-36		18		19	M.D.B.&M.
	•	:	·,	7		
ALL	1-36	:	19		-19	M.D.B.&M.
	÷ .	_	·ri	41.1		74
ALL	1-36		20		19	M.D.B.&M.
		•				
ALL	1-36	•	21		19	M.D.B.&M.
ATT			:			
ALL	2-35		18		20	M.D.B.&M.
W1/2	36		18		20	M.D.B.&M.
ALL.	1.10			4		
ALL	1-12 14-23	· '	19		20	M.D.B.&M.
ALL			19 🔞		20	M.D.B.&M.
ALL	26-35	:	19		20	M.D.B.&M.
ALL	1-36	•	20			3.675 m 03.5
	1-30		20		20	_M.D.B.&M.
ALL.	1-36		21	100	20	TAIDD PL
	A-30 .		21		20	M.D.B.&M.
ALL	1-36		20		21	М.D.В.&М.
	÷	•	20		- 10 ZF 7 (3)	- MIND ON
ALL	1-36		21		21	M.D.B.&M.
		•				- TANTON TO GOTTAIT

. .

PG-0-11